

YACHTING BOOKS
AN EXCLUSIVE SELECTION

PICTURE PRESENTATION



YACHT FOR SALE

Andiamo

42' • MATTHEWS • 1962




















Andiamo

 Charles

SOLID
POWER



45 AMP

BATTERY CHARGER

HQ SERIES 12 VDC



ABS

Self-Limiting
CAUTION PROTECTED
CAUTION: To reduce the risk of electrical shock - do not expose to rain or spray.
For Marine Use.

PROHIBÉ CONTRE L'EXPLOSION
ADVERTISSEMENT: Ne pas exposer aux intempéries.
Pour Utilisation Marine.

Model	45
Serial	100
Input	12V
Output	12V
Capacity	45A

11-TWIST

How To Use Your Air
 Cómo Usar Su Juguete Para Hachura De Escoras
 Utilisation De Votre Trousses De Fixage Matco

Determine l'ouverture à utiliser en fonction de la taille de la vis ou du boulon. Pour les vis et boulons de 1/4" à 1/2", utilisez la taille indiquée dans le tableau ci-dessous. Pour les vis et boulons de 3/8" à 1", utilisez la taille indiquée dans le tableau ci-dessous. Pour les vis et boulons de 1 1/8" à 1 3/8", utilisez la taille indiquée dans le tableau ci-dessous. Pour les vis et boulons de 1 1/2" à 2", utilisez la taille indiquée dans le tableau ci-dessous. Pour les vis et boulons de 2 1/8" à 2 3/8", utilisez la taille indiquée dans le tableau ci-dessous. Pour les vis et boulons de 2 1/2" à 3", utilisez la taille indiquée dans le tableau ci-dessous.

Determine the hole size to use in inches or metric. For screws and bolts 1/4" to 1/2", use the size indicated in the table below. For screws and bolts 3/8" to 1", use the size indicated in the table below. For screws and bolts 1 1/8" to 1 3/8", use the size indicated in the table below. For screws and bolts 1 1/2" to 2", use the size indicated in the table below. For screws and bolts 2 1/8" to 2 3/8", use the size indicated in the table below. For screws and bolts 2 1/2" to 3", use the size indicated in the table below.

Determine el tamaño del agujero que utilizar en pulgadas o métricas. Para tornillos y pernos de 1/4" a 1/2", utilice el tamaño indicado en el cuadro de abajo. Para tornillos y pernos de 3/8" a 1", utilice el tamaño indicado en el cuadro de abajo. Para tornillos y pernos de 1 1/8" a 1 3/8", utilice el tamaño indicado en el cuadro de abajo. Para tornillos y pernos de 1 1/2" a 2", utilice el tamaño indicado en el cuadro de abajo. Para tornillos y pernos de 2 1/8" a 2 3/8", utilice el tamaño indicado en el cuadro de abajo. Para tornillos y pernos de 2 1/2" a 3", utilice el tamaño indicado en el cuadro de abajo.

Bolt/Screw Size	Outside Diameter in Inches	Metric Drill Size	Note Size
1/8"	.1250	1.00 mm	
3/16"	.1875	1.50 mm	
1/4"	.2500	2.00 mm	
5/16"	.3125	2.50 mm	
3/8"	.3750	3.00 mm	
7/16"	.4375	3.50 mm	
1/2"	.5000	4.00 mm	
9/16"	.5625	4.50 mm	
5/8"	.6250	5.00 mm	
11/16"	.6875	5.50 mm	
3/4"	.7500	6.00 mm	
13/16"	.8125	6.50 mm	
7/8"	.8750	7.00 mm	
15/16"	.9375	7.50 mm	
1"	1.0000	8.00 mm	

